BEUSSE BROWNLEE WOLTER MORA & MAIRE, P.A.

JAMES H. BEUSSE
JACKSON O. BROWNLEE
JOHN L. DEANGELIS, JR.
DAVID G. MAIRE
CHRISTINE Q. MCLEOD
ENRIQUE J. MORA
NORMAN A. NIXON
TERRY M. SANKS
W. DAVID SARTOR
TIMOTHY H. VAN DYKE
ROBERT L. WOLTER

390 N. ORANGE AVENUE, SUITE 2500
ORLANDO, FLORIDA 32801
TELEPHONE (407) 926-7700
FACSIMILE (407) 926-7720
WWW.IPLAWFL.COM

OF COUNSEL
JOSEPH FISCHER

WRITER'S DIRECT DIAL/EMAIL
(407) 926-7705
emora@iplawfl.com

TO : Commissioner for Patents
COMPANY : USPTO
FAX No. : 1-571-273-8300
No of PAGES : 7 (including cover sheet)
FROM : Enrique J. Mora
DATE : January 13, 2006
RE : Serial Number 10/667,262; filed 09/19/2003
ATTY. DOCKET NO: 2003P08879US (129)

VIA FACSIMILE ONLY

Attached please find for entry into the above-referenced application:

Reply/Response Under CFR 1.111 – responsive to Office Action dated 10/13/2005 - (6 pages).

Yours truly,

Enrique J. Mora
Reg. #38,875

Certificate of Transmission

I hereby certify that this correspondence is being
facsimile transmitted to the United States Patent and
Trademark Office, Fax No. 571-273-8300
on January 13, 2006.

Kathy L. Tissue

U.S. Serial No. 10/667,262   Attorney Docket No. 2003P08879US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Application of:	)
	)
Applicants: Max Rothenfusser	) Examiner: Gagliardi, Albert J.
	)
Serial No.: 10/667,262	) Group Art Unit: 2878
	)
Filed: 09/19/2003	) Confirmation No.: 5964
	)
Title: Method For Calibrating and	) Docket No.: 2003P08879US
Enhancing Flaw Detection of an	)
Acoustic Thermography System	)
	)

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REPLY/RESPONSE UNDER CFR 1.111

This amendment is in response to the Office Action dated as mailed October 13, 2005 and having a response due date of January 13, 2006.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 5 of this paper.

-1-